



## **TABLE OF CONTENTS**

	<b>PAGE</b>
<b>RHS</b>	<b>2, 3, 4</b>
<b>PIPE (PLAIN END)</b>	<b>5</b>
<b>FLAT BAR (MILD STEEL)</b>	<b>6, 7, 8</b>
<b>ANGLES (MERCHANT STEEL)</b>	<b>9</b>
<b>SQUARE BAR (MILD STEEL)</b>	<b>10</b>
<b>ROUND BAR (MILD STEEL)</b>	<b>10</b>
<b>BRIGHT ROUND BAR</b>	<b>10</b>
<b>PLATE</b>	<b>11</b>
<b>HOT ROLLED SHEET</b>	<b>11</b>
<b>FLOOR PLATE</b>	<b>11</b>
<b>LASER PLATE</b>	<b>11</b>
<b>GALVANISED SHEET</b>	<b>12</b>
<b>ZINC ANNEAL</b>	<b>12</b>
<b>ZINC ALUME</b>	<b>12</b>
<b>SIGN WHITE</b>	<b>12</b>
<b>UNIVERSAL BEAM</b>	<b>13</b>
<b>UNIVERSAL COLUMN</b>	<b>13</b>
<b>TAPER FLANGE CHANNEL</b>	<b>14</b>
<b>PARALLEL FLANGE CHANNEL</b>	<b>14</b>
<b>STRUCTURAL ANGLE</b>	<b>14</b>
<b>FENCING &amp; RURAL PRODUCTS</b>	<b>15</b>
<b>BUILDING MATERIALS</b>	<b>16</b>
<b>CHAIN &amp; ACCESSORIES</b>	<b>17</b>
<b>CONSUMABLES</b>	<b>17</b>
<b>SCRAP</b>	<b>18</b>
<b>CONTACTS</b>	<b>19</b>

**Note:** Every care has been taken to ensure accuracy of these tables,  
but no responsibility can be accepted for any errors.

<b>R H S</b>				
<b>Size mm</b>	<b>Nom Mass Per Metre</b>	<b>Nom Metres Per Tonne</b>	<b>Lengths Per Pack</b>	<b>Approx Pack Mass Tonnes</b>
<b>Square</b>				
<b>6.5m Lengths</b>				
13 x 13 x 1.8	0.57	1762	100	0.37
20 x 20 x 1.6	0.87	1146	100	0.57
25 x 25 x 1.6	1.12	890	100	0.73
x 2.0	1.36	733	100	0.89
x 2.5	1.64	610	100	1.07
x 3.0	1.89	529	100	1.23
<b>8.0m Lengths</b>				
30 x 30 x 1.6	1.38	727	100	1.10
x 2.0	1.68	596	100	1.34
x 2.5	2.03	492	100	1.63
x 3.0	2.36	423	64	1.21
35 x 35 x 1.6	1.63	615	100	1.30
x 2.0	1.99	502	100	1.59
x 2.5	2.42	412	64	1.24
x 3.0	2.83	353	64	1.45
40 x 40 x 1.6	1.88	533	81	1.22
x 2.0	2.31	434	81	1.49
x 2.5	2.82	355	64	1.44
x 3.0	3.30	303	64	1.69
x 4.0	4.20	238	49	1.65
50 x 50 x 1.6	2.38	420	64	1.22
x 2.0	2.93	341	64	1.50
x 2.5	3.60	278	49	1.41
x 3.0	4.25	236	49	1.66
x 4.0	5.45	183	36	1.57
x 5.0	6.56	152	30	1.57
x 6.0	7.56	132	25	1.51
65 x 65 x 1.6	3.13	319	49	1.23
x 2.0	3.88	258	42	1.30
x 2.5	4.78	209	42	1.61
x 3.0	5.66	177	36	1.63
x 4.0	7.34	136	30	1.76
x 5.0	8.91	112	25	1.78
x 6.0	10.39	96	20	1.66
75 x 75 x 2.0	4.50	222	30	1.08
x 2.5	5.56	180	30	1.34
x 3.0	6.60	152	30	1.58
x 4.0	8.59	116	25	1.72
x 5.0	10.48	95	20	1.68
x 6.0	12.27	81	16	1.57

<b>R H S</b>				
<b>Size mm</b>	<b>Nom Mass Per Metre</b>	<b>Nom Metres Per Tonne</b>	<b>Lengths Per Pack</b>	<b>Approx Pack Mass Tonnes</b>
89 x 89 x 2.0	5.38	186	25	1.08
x 3.5	9.15	109	20	1.46
x 5.0	12.68	79	16	1.62
x 6.0	14.91	67	12	1.43
100 x 100 x 3.0	8.96	112	20	1.43
x 4.0	11.73	85	16	1.50
x 5.0	14.41	69	12	1.38
x 6.0	16.98	59	12	1.63
x 9.0	23.50	43	9	1.69
125 x 125 x 4.0	14.87	67	12	1.43
x 5.0	18.33	55	12	1.76
x 6.0	21.69	46	9	1.56
x 9.0	30.60	33	8	1.96
150 x 150 x 5.0	22.10	45	9	1.59
x 6.0	26.20	38	6	1.26
x 9.0	37.70	27	6	1.81
200 x 200 x 6.0	35.60	28	6	1.71
x 9.0	51.80	19	6	2.48
250 x 250 x 6.0	45.00	22	4	1.44
x 9.0	65.90	15	2	1.05
<b>Rectangular</b>				
<b>7.5m lengths</b>				
38 x 25 x 1.2	1.15	869	70	0.60
x 1.6	1.518	658	96	1.09
<b>8.0m Lengths</b>				
50 x 25 x 1.6	1.75	571	96	1.35
x 2.0	2.15	465	96	1.65
x 2.5	2.62	382	72	1.51
x 3.0	3.07	326	60	1.47
65 x 35 x 2.0	2.93	341	54	1.27
x 2.5	3.60	278	54	1.56
x 3.0	4.25	236	45	1.53
x 4.0	5.45	183	45	1.96
75 x 25 x 1.6	2.38	420	65	1.24
x 2.0	2.93	341	65	1.53
x 2.5	3.60	278	48	1.38

<b>R H S</b>				
<b>Size mm</b>	<b>Nom Mass Per Metre</b>	<b>Nom Metres Per Tonne</b>	<b>Lengths Per Pack</b>	<b>Approx Pack Mass Tonnes</b>
75 x 50 x 1.6	3.01	332	42	1.01
x 2.0	3.72	269	42	1.25
x 2.5	4.58	218	42	1.54
x 3.0	5.42	184	35	1.52
x 4.0	7.02	142	28	1.57
x 5.0	8.52	117	24	1.64
x 6.0	9.92	101	20	1.59
100 x 50 x 1.6	3.64	275	32	0.93
x 2.0	4.50	222	32	1.15
x 2.5	5.56	180	32	1.42
x 3.0	6.60	152	32	1.69
x 3.5	7.61	131	24	1.46
x 4.0	8.59	116	24	1.65
x 5.0	10.48	95	18	1.51
x 6.0	12.27	81	15	1.47
125 x 75 x 2.5	7.49	134	20	1.20
x 3.0	8.96	112	20	1.43
x 4.0	11.73	85	15	1.41
x 5.0	14.41	69	15	1.73
x 6.0	16.98	59	12	1.63
150 x 50 x 2.0	6.05	165	21	1.02
x 2.5	7.49	134	21	1.26
x 3.0	8.96	112	21	1.50
x 4.0	11.73	85	15	1.41
x 5.0	14.41	69	15	1.73
x 6.0	16.98	59	15	2.04
150 x 100 x 4.0	14.87	67	12	1.43
x 5.0	18.33	55	12	1.76
x 6.0	21.69	46	9	1.56
200 x 100 x 4.0	17.90	59	8	1.15
x 5.0	22.10	45	8	1.41
x 6.0	26.20	38	8	1.68
x 9.0	37.70	26	6	1.81

<b>PIPE (PLAIN END)</b>						
<b>N.B.</b>	<b>WGT Desc.</b>	<b>O.D.</b>	<b>W.T. Desc.</b>	<b>Lens/ Sling</b>	<b>Black Kg/mtr</b>	<b>Galv Kg/mtr</b>
15	MEDIUM	21.3	2.60	217	1.21	1.25
20	EX LIGHT	26.9	2.00	127	1.23	1.28
	LIGHT	26.9	2.30	127	1.40	1.44
	MEDIUM	26.9	2.60	127	1.56	1.62
25	EX LIGHT	33.7	2.00	91	1.56	1.62
	LIGHT	33.7	2.60	91	1.99	2.05
	MEDIUM	33.7	3.20	91	2.41	2.49
32	EX LIGHT	42.4	2.00	61	1.99	2.07
	LIGHT	42.4	2.60	61	2.55	2.63
	MEDIUM	42.4	3.20	61	3.10	3.20
40	EX LIGHT	48.3	2.30	61	2.61	2.7
	LIGHT	48.3	2.90	61	3.25	3.33
	MEDIUM	48.3	3.20	61	3.57	3.68
50	EX LIGHT	60.3	2.30	37	3.29	3.4
	LIGHT	60.3	2.90	37	4.11	4.21
	MEDIUM	60.3	3.60	37	5.03	5.18
	HEAVY	60.3	4.50	37	6.19	6.33
65	EX LIGHT	76.1	2.30	37	4.19	4.33
	LIGHT	76.1	3.20	37	5.75	5.89
	MEDIUM	76.1	3.60	37	6.43	6.61
80	LIGHT	88.9	3.20	19	6.76	6.93
	MEDIUM	88.9	4.00	19	8.37	8.58
90	MEDIUM	101.6	4.00	19	9.63	9.88
100	MEDIUM	114.3	4.50	19	12.20	12.40
125	MEDIUM	139.7	5.00	13	16.60	16.90
150	MEDIUM	165.1	5.00	10	19.70	20.10

**FLAT BAR MILD STEEL - STD LENGTH 6.0M  
TO AS 3679 GR 250**

<b>Nominal Size mm</b>	<b>KG/M</b>	<b>Mass M/t</b>
<b>4.000mtr lengths</b>		
10 x 3	0.242	4132
13 x 3	0.310	3226
5	0.530	1887
16 x 3	0.380	2632
5	0.650	1538
<b>6.000mtr lengths</b>		
16 x 8	1.030	971
20 x 3	0.480	2083
5	0.800	1250
6	0.970	1031
10	1.609	622
25 x 3	0.600	1667
5	1.010	990
6	1.210	826
8	1.610	621
10	2.000	500
12	2.410	415
32 x 3	0.770	1299
5	1.290	775
6	1.540	649
8	2.060	485
10	2.570	389
40 x 3	0.970	1031
5	1.610	621
6	1.930	518
8	2.570	389
10	3.220	311
12	3.860	259
50 x 3	1.210	826
5	2.010	498
6	2.410	415
8	3.220	311
10	4.020	249
12	4.830	207
16	6.440	155
20	8.050	124
25	10.058	99
65 x 3	1.570	637
5	2.620	382
6	3.140	318
8	4.180	239
10	5.230	191
12	6.280	159
16	8.368	120
20	10.460	96
25	13.075	77

**FLAT BAR MILD STEEL - STD LENGTH 6.0M  
TO AS 3679 GR 250**

<b>Nominal Size mm</b>	<b>KG/M</b>	<b>Mass M/t</b>
75 x 5	3.020	331
6	3.620	276
8	4.830	207
10	6.030	166
12	7.240	138
16	9.660	104
20	12.070	83
25	15.090	66
90 x 6	4.340	230
8	5.790	173
10	7.240	138
12	8.690	115
100 x 5	4.030	248
6	4.830	207
8	6.440	155
10	8.050	124
12	9.660	104
16	12.920	77
20	16.100	62
25	20.120	50
50	40.230	25
110 x 10	8.850	113
12	10.620	94
130 x 6	6.280	159
8	8.368	119
10	10.460	96
12	12.660	80
16	16.740	60
20	20.920	48
25	26.150	38
150 x 5	6.030	166
6	7.240	138
8	9.660	104
10	12.100	83
12	14.480	69
16	19.310	52
20	24.140	41
25	30.170	33
180 x 10	14.480	69
12	17.380	58
16	23.170	44

<b>FLAT BAR MILD STEEL - STD LENGTH 6.0M TO AS 3679 GR 250</b>		
<b>Nominal Size mm</b>	<b>KG/M</b>	<b>Mass M/t</b>
200 x 6	9.650	104
8	12.870	78
10	16.090	62
200 x 12	19.310	52
16	25.750	39
20	32.180	31
25	40.231	25
250 x 6	12.070	83
8	16.090	62
10	20.120	50
12	24.130	41
16	32.180	31
20	40.280	25
25	50.290	20
300 x 6	14.480	69
10	24.140	41
12	28.970	35
16	38.620	31
20	48.280	25
25	60.347	16

<b>MERCHANT STEEL ANGLES TO AS3679 GR 250</b>		
<b>Nominal Size mm 7.5mtr</b>	<b>KG/M</b>	<b>Mass M/t</b>
20 x 20 x 3	0.98	1020
25 x 25 x 3	1.12	893
5	1.65	606
6	2.08	481
30 x 30 x 3	1.35	741
5	2.01	498
6	2.56	391
40 x 40 x 3	1.83	546
5	2.73	366
6	3.50	286
45 x 45 x 5	3.10	3.22
50 x 50 x 3	2.31	433
5	3.48	287
6	4.46	224
8	5.68	176
65 x 65 x 5	4.56	219
6	5.87	170
8	7.51	134
10	9.02	111
<b>9mtr</b>		
75 x 50 x 5	4.40	227
6	5.66	177
8	7.23	138.32
75 x 75 x 5	5.27	190
6	6.81	147
8	8.73	115
10	10.5	95
90 x 90 x 6	8.22	121.65
8	10.6	94.33
10	12.7	78.74
100 x 75 x 6	7.98	126
8	10.3	97
10	12.4	81
100 x 100 x 6	9.16	110
8	11.8	85
10	14.2	71
12	17.7	57
125 x 75 x 6	9.16	109.17
8	11.8	84.75
10	14.2	70.42
150 x 90 x 10	14.38	69.54
12	21.6	46.29
150 x 150 x 10	21.9	45.66
12	27.3	36.63

<b>MILD STEEL SQUARE BAR - STD LENGTH 6.0M TO AS3679 GR 250</b>		
<b>Nominal Size (mm)</b>	<b>KG/M</b>	<b>Mass M/t</b>
10	0.8	1,250
12	1.16	862
16	2.06	485
20	3.22	311
25	5.03	199
32	8.24	121
40	12.874	78

<b>MILD STEEL ROUND BAR - STD LENGTH 6.0M TO AS3679 GR 250</b>		
<b>Nominal Size (mm)</b>	<b>KG/M</b>	<b>Mass M/t</b>
5	0.158	6329
6.3	0.25	4000
8	0.41	2439
10	0.64	1563
12	0.91	1099
14	1.24	806
16	1.62	617
18	2.05	488
20	2.53	395
22	3.06	327
24	3.64	274
27	4.606	217
33	6.88	145
39	9.611	104
50	15.798	63

<b>BRIGHT ROUND (6000) Grade 1020, 1045 available</b>		
<b>Nominal Size (mm)</b>	<b>KG/M</b>	<b>Mass M/t</b>
10	0.62	1613
12	0.89	1124
12.7	0.99	1010
14	1.21	826
14.28	1.26	794
15.87	1.55	645
16	1.58	633
19.05	2.24	446
20	2.47	405
25	3.85	260
25.4	3.98	251
28.57	5.03	199
30	5.55	180
38.1	8.95	112
40	9.86	101
50	15.41	65
50.8	15.91	63
60	22.19	45
60.35	24.86	40
75	34.68	29
76.2	35.8	28

<b>PLATE</b>			
<b>Nominal Size</b>			
<b>mm</b>	<b>Sheet size</b>	<b>KG/SH</b>	<b>Sht/t</b>
6	1200 x 2400	135.65	7
8	1200 x 2400	180.86	5
10	1200 x 2400	226.08	4
12	1200 x 2400	271.30	4
16	1200 x 2400	361.73	3
20	1200 x 2400	452.16	2

<b>HOT ROLLED SHEET</b>			
<b>Nominal Size</b>			
<b>mm</b>	<b>Sheet size</b>	<b>KG/SH</b>	<b>Sht/t</b>
1.6	1200 x 1800	27.36	37
	1200 x 2400	36.47	28
2.0	1200 x 1800	33.91	30
	1200 x 2400	45.22	22
2.5	1200 x 1800	42.39	24
	1200 x 2400	56.52	18
3.0	1200 x 1800	51.29	20
	1200 x 2400	68.39	15
4.0	1200 x 2400	91.00	11
5.0	1200 x 2400	114.00	9

<b>FLOOR PLATE</b>			
<b>Nominal Size</b>			
<b>mm</b>	<b>Sheet size</b>	<b>KG/SH</b>	<b>Sht/t</b>
2.1	1200 x 1500	31.86	32
	1200 x 1800	38.23	26
	1200 x 2100	44.60	23
	1200 x 2400	50.98	20
3.0	1200 x 2400	73.58	14
	1200 x 6000	183.96	6
5.0	1200 x 6000	297.00	4
	1500 x 6000	371.25	3
6.0	1200 x 6000	353.52	3
	1500 x 6000	441.90	3
	1800 x 6000	530.28	2
8.0	1500 x 6000	583.20	2
	1800 x 6000	699.84	2

<b>LASER PLATE</b>			
<b>Nominal Size</b>			
<b>mm</b>	<b>Sheet size</b>	<b>KG/SH</b>	<b>Sht/t</b>
4.0	1500 x 3000	141.00	7
5.0	1500 x 3000	177.00	5
6.0	1500 x 3000	212.00	5
8.0	1500 x 3000	283.00	3
10.0	1500 x 3000	353.00	3
12.0	1500 x 3000	424.00	2
16.0	1500 x 3000	505.00	2
20.0	1500 x 3000	707.00	1

<b>GALVANISED SHEET</b>			
<b>Nominal Size</b>			
<b>mm</b>	<b>Sheet size</b>	<b>KG/SH</b>	<b>Sht/t</b>
0.55	1200 x 1800	10.12	99
	1200 x 2400	13.49	74
0.75	1200 x 1800	13.57	74
	1200 x 2400	18.09	55
0.95	1200 x 1800	17.01	59
	1200 x 2400	22.68	44
1.15	1200 x 1800	20.46	49
	1200 x 2400	27.28	37
1.55	1200 x 1800	27.36	37
	1200 x 2400	36.48	28
1.95	1200 x 1800	34.25	29
	1200 x 2400	45.67	22
2.40	1200 x 1800	42.01	24
	1200 x 2400	56.01	18
2.90	1200 x 1800	50.63	20
	1200 x 2400	67.51	15

<b>ZINC ANNEAL</b>			
<b>Nominal Size</b>			
<b>mm</b>	<b>Sheet size</b>	<b>KG/SH</b>	<b>Sht/t</b>
0.55	1200 x 1800	9.77	102
	1200 x 2400	13.02	77
0.75	1200 x 1800	13.21	76
	1200 x 2400	17.62	57
0.95	1200 x 1800	16.66	60
	1200 x 2400	22.22	45
1.15	1200 x 1800	20.11	50
	1200 x 2400	26.81	37
1.55	1200 x 1800	27.01	37
	1200 x 2400	36.01	28
1.95	1200 x 1800	33.35	30
	1200 x 2400	44.46	23

<b>ZINC ALUME</b>			
<b>Nominal Size</b>			
<b>mm</b>	<b>Sheet size</b>	<b>KG/SH</b>	<b>Sht/t</b>
0.55	1200 x 1800	9.69	103
	1200 x 2400	12.92	77
0.75	1200 x 1800	13.08	77
	1200 x 2400	17.45	57

<b>SIGN WHITE</b>			
<b>Nominal Size</b>			
<b>mm</b>	<b>Sheet size</b>	<b>KG/SH</b>	<b>Sht/t</b>
0.55	1200 x 1800	10.54	95
	1200 x 2400	14.05	71
0.75	1200 x 1800	13.08	77
	1200 x 2400	17.45	57

UNIVERSAL BEAMS						
Nominal Size	Kg / mtr	Webbing		Flange		
		Depth	Thickness	Width	Thickness	
150UB 14.0	14.000	150	5.0	75	7.0	
18.0	18.000	155	6.0	75	9.5	
180UB 16.1	16.100	173	4.5	90	7.0	
18.1	18.100	175	5.0	90	8.0	
22.2	22.100	179	6.0	90	10.0	
200UB 18.2	18.200	198	4.5	99	7.0	
22.2	22.200	202	5.0	133	7.0	
25.4	25.400	203	5.8	133	7.8	
29.8	29.800	207	6.3	134	9.6	
250UB 25.7	25.700	248	5.0	124	8.0	
31.4	31.400	252	6.1	146	8.6	
37.3	37.300	256	6.4	146	10.9	
310UB 32.0	32.000	298	5.5	149	8.0	
40.4	40.400	304	6.1	165	10.2	
46.2	46.200	307	6.7	166	11.8	
360UB 44.7	44.700	352	6.9	171	9.7	
50.7	50.700	356	7.3	171	11.5	
56.7	56.700	359	8.0	172	13.0	
410UB 53.7	53.700	403	7.6	178	10.9	
59.7	59.700	406	7.8	178	12.8	
460UB 67.1	67.100	454	8.5	190	12.7	
74.6	74.600	457	9.1	190	14.5	
82.1	82.100	460	9.9	191	16.0	
530UB 82.0	82.000	528	9.6	209	13.2	
92.4	92.400	533	10.2	209	15.6	
610UB 101.0	101.100	602	10.6	228	14.8	
113.0	113.000	607	11.2	228	17.3	
125.0	125.000	612	11.9	229	19.6	

UNIVERSAL COLUMNS						
Nominal Size	Kg / mtr	Webbing		Flange		
		Depth	Thickness	Width	Thickness	
100UC 14.8	14.8	97	5.0	99	7.0	
150UC 23.4	23.4	152	6.1	152	6.8	
30.0	30	158	6.6	153	9.4	
37.2	37.2	162	8.1	154	11.5	
200UC 46.2	46.2	203	7.3	203	11.0	
52.2	52.2	206	8.0	204	12.5	
59.2	59.2	210	9.3	205	14.2	
250UC 72.9	72.9	254	8.6	254	14.2	
89.5	89.5	260	10.5	256	17.3	
310UC 96.8	96.8	308	9.9	305	15.4	
118.0	118	315	11.9	307	18.7	
137.0	137	321	13.8	309	21.7	
158.0	158	327	15.7	311	25.0	

<b>TAPER FLANGE CHANNEL</b>					
mm	Kg / mtr	Webbing		Flange	
		Depth	Thickness	Width	Thickness
75 x 40	6.65	75	3.8	40	6.1
100 x 50	9.34	100	4.2	50	6.7
125 x 65	13.43	125	4.7	65	7.5

<b>PARALLEL FLANGE CHANNEL</b>					
mm	Kg / mtr	Webbing		Flange	
		Depth	Thickness	Width	Thickness
150 x 75	17.7	150	6.0	75	9.5
180 x 75	20.9	180	6.0	75	11.0
200 x 75	22.9	200	6.0	75	12.0
230 x 75	25.1	230	6.5	75	12.0
250 x 90	35.5	250	8.0	90	15.0
300 x 90	40.1	300	8.0	90	16.0
380 x 100	55.1	380	10.0	100	17.5

<b>STRUCTURAL ANGLE</b>		
	Kg / mtr	Mtrs / Ton
125 x 125 x 8	14.9	68
x 10	18.0	56
x 12	22.5	45
x 16	29.1	35
150 x 90 x 8	14.3	70
x 10	17.3	58
x 12	21.6	47
x 16	27.9	36
150 x 100 x 10	18.0	56
x 12	22.5	45
150 x 150 x 10	21.9	46
x 12	27.3	37
x 16	35.4	29
x 19	42.1	24
200 x 200 x 13	40.0	25
x 16	48.7	21
x 20	60.1	17
x 26	76.8	13

<b>FENCE DROPPERS</b>				
	<b>Qty/Pack</b>	<b>Kg/Pack</b>	<b>Qty/Sling</b>	<b>Kg/Sling</b>
4'6" - 1350mm	10	27.54	400	1101.6
5'0" - 1500mm	10	30.60	400	1224.0
5'6" - 1650mm	10	33.66	400	1346.4
6'0" - 1800mm	10	36.72	400	1468.8
7'0" - 2100mm	10	42.84	200	856.8
8'0" - 2400mm	10	48.96	200	979.2

<b>RING JOINT 200mtr Rolls</b>			
	<b>Kg/ roll</b>	<b>Rolls/Pallet</b>	<b>Kg/Pallet</b>
6/70/30	70	9	630
6/90/30	74	9	666
7/90/30	88	9	792

<b>HINGE JOINT 200mtr Rolls</b>			
	<b>Kg/ roll</b>	<b>Rolls/Pallet</b>	<b>Kg/Pallet</b>
6/70/30	70	9	630
6/90/30	74	9	666
7/90/30	83	9	747

<b>HIGH TENSILE SINGLE STRAND WIRE</b>			
<b>1500mtr roll</b>	<b>Kg/ roll</b>	<b>Roll/Sling</b>	<b>Kg/Sling</b>
2.5mm	55	10	550

<b>BARB WIRE High Tensile 500mtr per roll</b>			
	<b>Kg/ roll</b>	<b>Rolls/Pallet</b>	<b>Kg/Pallet</b>
1.57mm	24	48	1152
1.8mm	28	36	1008

<b>FARM GATES</b>			
	<b>Kg/Gate</b>	<b>Qty per bundle</b>	
8ft	21	10	
10ft	24	10	
12ft	28	10	
14ft	32	10	
16ft	35	10	

**Economy gate packs available**

Purlins - C Section		Purlins - Z Sections	
Stock lengths 6.100, 7.500, 9.100mtrs			
	Kg/Mt		Kg/Mt
C 7508	1.150		
C 7510	1.370		
C 10010	1.780	Z 10010	1.780
C 10012	2.100	Z 10012	2.100
C 10015	2.620	Z 10015	2.620
C 10019	3.290	Z 10019	3.290
C 15010	2.380	Z 15010	2.380
C 15012	2.890	Z 15012	2.890
C 15016	3.590	Z 15016	3.590
C 15019	4.510	Z 15019	4.510
C 15024	5.700	Z 15024	5.700
C 20016	4.490	Z 20016	4.490
C 20019	5.740	Z 20019	5.740
C 20024	7.240	Z 20024	7.240
C 25019	6.500	Z 25019	6.500
C 25024	8.160	Z 25024	8.160
C 30024	10.900	Z 30024	10.900

Roofing & walling Products			
Product	BMT(mm)	Cover(mm)	Kg/Lmt
Zinc Alume Corro	0.35	760	2.74
	0.42	760	3.34
Zinc Alume Trimdeck	0.35	760	2.74
	0.42	760	3.34
Colour Bond Corro	0.35	760	2.74
	0.42	760	3.34
Colour Bond Trimdeck	0.35	760	2.74
	0.42	760	3.34

Flashings		Guttering	
Zinc Alume	Rolled	Zinc Alume	Rolled
Colour Bond	to size	Colour Bond	to length

SUNTUFF Sheet sizes 760mm cover up to 7.2mtrs in length			
Solar Control		Standard	
Profile	Colours Avail	Profile	Colours Avail
Omega	Metallic Grey	Corrugated	Cedar Bronze, Clear,
Greca	Metallic Ice	Greca	Solar Grey, Opal,
Corrugated		Trimdek	Smooth Cream

Tek Screws
10 x 16 steel
12 x 35 steel
12 x 45 steel
12 x 50 wood

## CHAIN AND ACCESSORIES

### Transport

- Cargo Winches
- Ratchet Straps
- Replacement Straps
- Dogs & Chains
- Clevis Grab Hooks

### Marine

- Anchors
- Chain (new)
- Chain (S/H)
- Shackles

### Mining

- Chain (new)
- Chain (S/H)
- Shackles

### Rural

- Chain (new)
- Chain (S/H)
- Shackles
- Turnbuckles
- Wire Rope Grips
- Split Links
- Hammer Locks



## CONSUMABLES

### Welding

- 2.5mm Rods
- 3.2mm Rods
- 4.0mm Rods
- 0.9mm Mig Wire
- 1.2mm Mig Wire



# \$\$\$ CASH FOR SCRAP \$\$\$

## Non Ferrous

- Copper
- Brass
- Aluminium
- Lead
- Radiators
- Stainless

## Ferrous

- Farm Machinery
- Scrap Steel
- Cast Iron
- Car Bodies
- Baling Steel

## Scrap bins available

Sizes vary from:

Forklift bins

1200x1200

1800x1200

2400x1200

Roll on Roll off bins

6000x2400 from 20m<sup>3</sup> to 30m<sup>3</sup>

rear opening for easy loading also available



Easy unloading

For fast and friendly service call  
Lenny 0404 607 733, 08 8240 0066  
email: [lenny@normetals.com](mailto:lenny@normetals.com)  
or : [enquire@normetals.com](mailto:enquire@normetals.com)

Licensed Public Weighbridge no215.  
60 tonne, 18mtr



# NORMETALS PTY. LTD.

**Site Address:** 255 Grand Junction Road Ottoway SA 5013

**Phone** 08 8240 0066  
**Fax** 08 8447 5599  
**Toll Free** 1800 88 22 66 (country callers only)  
**General Email:** [enquire@normetals.com](mailto:enquire@normetals.com)

**Postal Address:** PO Box 2, Port Adelaide SA 5015


**Jarrold Andrews**  
mobile 0403 607 725  
email [jarrod@normetals.com](mailto:jarrod@normetals.com)

**Jake Lynch**  
mobile 0403 607 723  
email [jake@normetals.com](mailto:jake@normetals.com)

**Scott Martin**  
mobile 0403 607 728  
email [scott@normetals.com](mailto:scott@normetals.com)

**Lenny McVicar**  
mobile 0404 607 733  
[lenny@normetals.com](mailto:lenny@normetals.com)

**Dave Sawford**  
mobile 0413 833 999  
[dave@normetals.com](mailto:dave@normetals.com)



## TERMS OF TRADING AGREEMENT

### THE AGREEMENT

- 1 The Customer hereby warrants that the information comprised in the First Schedule hereto is true accurate and correct and is supplied for the purpose of obtaining credit.
- 2 The Customer warrants that the persons' signatures appearing on this Agreement are duly authorised by the Customer to apply for credit and execute this Agreement.
- 3 The Customer agrees to adhere to the terms and conditions of this Agreement.
- 4 **Jurisdiction**  
Notwithstanding any implication of law to the contrary, all contracts between the Customer and the Supplier shall be deemed to be made and construed and to be enforceable in and according to the laws of the State of South Australia and by mutual consent to be subject to the jurisdiction of the Courts of that State.
- 5 **Claims**  
Any claim for non-delivery, shortage in supply or damage occurring during the course of delivery or any claim or any claim for rejects by a customer must be in writing and given to the Manager of the supplier within 24 hours of delivery.
- 6 In the event of the Supplier granting credit facilities to the Customer then the following terms apply-
  - (i) All accounts are to be settled in full within 30 days from end of month in which goods/services are purchased.
  - (ii) That should the Customer default in the payment of any monies due under this Agreement then all monies due to the Supplier shall immediately become due and payable and shall be paid by the Customer within seven (7) days of the date of demand and the Supplier shall be entitled to charge interest on all amounts not paid by the due date for payment and the Customer undertakes to pay any interest so charged. Such interest shall be calculated on a daily basis from the due date for payment until the date the Supplier receives payment at such rate, up to but not exceeding 2% per month.
  - (iii) Any expenses, costs or disbursements incurred by the Supplier in recovering any outstanding monies including debt collection agency fees and solicitor's costs shall be paid by the Customer providing that those fees do not exceed the scale charges as charged by that debt collection agency/solicitor.
  - (iv) The Supplier shall be entitled without notice to terminate any credit arrangement with the Customer in the event of the Customer defaulting in any of the terms and conditions herein contained.
  - (v) The Supplier shall be entitled at any stage during the continuancy of this Agreement to request such security or additional security as the Supplier shall in its discretion think fit and shall be entitled to withhold supply of any goods or credit arrangements until such security or additional security shall be obtained or for any other reason at the Supplier's discretion.
- 7 **Title and Risk**
  - (i) Risk passes to Customer on delivery. All goods shall remain the property of the Supplier until all debts due to the Supplier by Customer are paid in full.
  - (ii) Customer shall be bailee of Goods in its possession whose title remains with the Supplier.
  - (iii) Goods in the Customer's possession must be clearly identifiable as the property of the Supplier.
  - (iv) If Customer fails to pay any debt due to the Supplier by the date for payment, the Supplier may retake possession of Goods. All costs of such repossession of Goods by the Supplier will be payable by Customer. Such rights shall be without prejudice to the Supplier's right to claim damages from the Customer for breach of contract.
  - (v) Customer irrevocably authorises the Supplier and its servants and agents to enter upon the Customer's premises without notice at any time, for the purposes of examination or recovery of Goods.
  - (vi) Customer shall indemnify the Supplier against any loss or expense arising from the Customer breaching this Contract.
  - (vii) All parts added to Goods by Customer, will form part of Goods for the purpose of this contract.
  - (viii) If Customer makes new Goods or other Goods from or with Goods, these new Goods are Goods for the purposes of this contract.
- 8 These Conditions of Sale shall not exclude, limit, restrict or modify the rights, entitlements and remedies conferred upon the Customer or the liabilities imposed upon the Supplier by any condition or warranty implied by a Commonwealth, State or Territory Act or Ordinance, rendering void or prohibiting such exclusion, limitation, restriction, or modification.
- 9 If any of these terms or conditions is or becomes for any reason wholly or partly invalid that term or condition shall to the extent of the invalidity be severed without prejudice to the continuing force and validity of the remaining conditions.
- 10 In the cases of a Trust Company we acknowledge that the Trustee shall be liable on the account and that in addition the assets of the trust shall be available to meet payment of the account.
- 11 **Change of ownership - Registered Particulars** - The Customer shall no later than 14 days prior to any proposed changes of ownership, change in Registered Particulars, alteration, addition to the shareholding or directorship, notify the Supplier of the proposed change and the Customer shall notify the Supplier of any change, alteration or addition to the Customer's internal structure and shall provide full details of the proposed change, alteration or addition, to the Supplier and the Customer shall be liable for any goods supplied by the Supplier after such change alteration or addition unless the Supplier shall have acknowledged by writing acceptance of the intending change, alteration or addition.
- 12 The Customer hereby charges the land upon which the goods are situation or the work carried out and other land owned or in the future acquired by the Customer from time to time and the Customer agrees immediately upon being required by the Supplier to enter into a mortgage to be prepared by the Supplier's solicitors on the terms and conditions as the Supplier's solicitor shall think fit to secure any sum due hereunder and the customer further agrees and permits and authorises the supplier to register a caveat over any land now owned by the Customer or in the future acquired by the Customer to secure any sum due hereunder at any time during the continuance of the Agreement.
- 13 **Privacy Act. Acknowledgment** that credit information may be given to a credit reporting agency, the Customer understands that section 18E(8)(c) of the Act allows the Supplier to give a credit reporting agency certain personal information about the Customer. The information which may be given to an agency is covered by section 18E (1) of the Act and includes: Particulars to identify the Customer, Payments which become overdue more than 60 days, Advice that payments are no longer overdue, Cheques of \$100 or more drawn by the Customer which a Bank has dishonoured more than once, in specified circumstances, that in the opinion of the Supplier the Customer has committed a serious credit infringement, That the credit provided to the Customer by the Supplier has been discharged
- 14 **Authority for the Supplier to obtain certain credit information.** The enable the Supplier to assess the Customer application for commercial or personal credit, the customer authorises the Supplier as follows: If asked to provide commercial credit, to obtain from a credit reporting agency a credit report containing personal credit information about the Customer. This is in accordance with section 18K (1)(b) of the Act. If asked to provide personal credit, to use a credit report containing information about the Customer's commercial activities or commercial credit-worthiness from a business which provides information about the commercial credit-worthiness of a person. This is in accordance with section 18L (4) of the Act.
- 15 **Authority to exchange information with other credit providers.** In accordance with section 18N (1)(b) of the Act, the Customer authorises the Supplier to give to and receive from the credit providers named overleaf or that may be named in a credit report issued by a credit reporting agency, information in the supplier's possession or the other credit provider's possession about the Customer's credit-worthiness, credit standing, credit history and credit capacity. The Customer understands the information may be used to: (a) Assess an application for credit by the Customer (b) Assist the Supplier in avoiding default on the Customer's credit obligations, (c) Notify other credit providers of a default by the Customer, (d) Assess Customer's credit-worthiness.